

# SAFETY DATA SHEET

SDS#: 0002489-2 Rev E Revision Date: 5/27/16

Original Preparation Date: 12/1/08

# 1. Identification

1. Identification		
Product identifier	Tissue-Tek Xpress® Processing Reagent #*	1 & #2, Formula 3
Other means of identification		
Product code	7151 (Reagent #1) and 7152 (Reagent #2)	
Recommended use	Tissue-Tek Xpress® Rapid Tissue Processors	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Manufacturer/Supplier	Sakura Finetek USA Inc.	
Address	1750 West 214th St.	
	Torrance, CA 90501	
Telephone	1-310-972-7800	
Emergency phone number	CHEMTREC: 1-800-424-9300	
Email	SDSsupport@sakuraus.com	
2. Hazard(s) identification		
Physical hazards	Flammable liquids	Category 2
Health hazards	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
OSHA defined hazards	Not classified.	

Label elements



	$\vee$ $\vee$
Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting// equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection.
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

Mixtures		
Chemical name	CAS number	%
TRADE SECRET #1	Proprietary	Trade Secret

TRADE SECRET #2		Proprietary	Trade Secret
TRADE SECRET #3		Proprietary	Trade Secret
4. First-aid measures			
nhalation	Remove victim to fresh air and keep at rest in a CENTER or doctor/physician if you feel unwell.	position comfortable for	breathing. Call a PC
Skin contact	Take off immediately all contaminated clothing. I attention if irritation develops and persists.	Rinse skin with water/sł	nower. Get medical
ye contact	Immediately flush eyes with plenty of water for a present and easy to do. Continue rinsing. Get m	t least 15 minutes. Rem edical attention if irritati	nove contact lenses, on develops and pers
ngestion	Rinse mouth. Do not induce vomiting without advice head low so that stomach content doesn't g symptoms occur.		
flost important symptoms/effects, acute and lelayed	May cause drowsiness and dizziness. Headache Symptoms may include stinging, tearing, rednes		
ndication of immediate nedical attention and special reatment needed	Provide general supportive measures and treat s Symptoms may be delayed.	symptomatically. Keep	victim under observat
General information	If you feel unwell, seek medical advice (show the personnel are aware of the material(s) involved, this safety data sheet to the doctor in attendance	and take precautions to	protect themselves.
5. Fire-fighting measures			
uitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical	powder. Dry chemicals	. Carbon dioxide (CO
nsuitable extinguishing nedia	Do not use water jet as an extinguisher, as this w	vill spread the fire.	
Specific hazards arising from he chemical	Vapors may form explosive mixtures with air. Va of ignition and flash back. During fire, gases haz		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ective clothing must be	worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fu so without risk. Cool containers exposed to heat is involved.		
Specific methods	Use standard firefighting procedures and consider	er the hazards of other	involved materials.
eneral fire hazards	Highly flammable liquid and vapor.		
6. Accidental release meas	ures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people ignition sources (no smoking, flares, sparks, or fl protective equipment and clothing during clean-u damaged containers or spilled material unless w closed spaces before entering them. Local author cannot be contained. For personal protection, se	ames in immediate are up. Avoid breathing mis earing appropriate prot prities should be advise	a). Wear appropriate t or vapor. Do not tou ective clothing. Ventil d if significant spillage
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares precautionary measures against static discharge (wood, paper, oil, etc.) away from spilled materia	. Use only non-sparking	g tools. Keep combus
	Large Spills: Stop the flow of material, if this is w possible. Cover with plastic sheet to prevent spru- vermiculite, sand or earth to soak up the product Following product recovery, flush area with water	eading. Use a non-com and place into a conta	bustible material like
	Small Spills: Absorb with earth, sand or other no for later disposal. Wipe up with absorbent matering remove residual contamination.		
	Never return spills to original containers for re-us	se. For waste disposal,	see section 13 of the

## 7. Handling and storage

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat and sources of ignition. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
TRADE SECRET #1 (CAS Proprietary)	PEL	980 mg/m3	
Fiophetaly)		400 ppm	
TRADE SECRET #2 (CAS Proprietary)	PEL	2400 mg/m3	
(interview)		1000 ppm	
TRADE SECRET #3 (CAS Proprietary)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Valu	les		
Components	Туре	Value	Form
TRADE SECRET #1 (CAS Proprietary)	STEL	400 ppm	
,	TWA	200 ppm	
TRADE SECRET #2 (CAS Proprietary)	STEL	750 ppm	
	TWA	500 ppm	
TRADE SECRET #3 (CAS Proprietary)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	Form
TRADE SECRET #1 (CAS Proprietary)	STEL	1225 mg/m3	
		500 ppm	
	TWA	980 mg/m3	
		400 ppm	
TRADE SECRET #2 (CAS Proprietary)	TWA	590 mg/m3	
		250 ppm	
TRADE SECRET #3 (CAS Proprietary)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
ogical limit values			
ACGIH Biological Exposure Ind	ces		
Components Value	Determinant	Specimen Sampling T	imo

Components	Value	Determinant	Specimen	Sampling Time
TRADE SECRET #1 (CAS	40 mg/l	Acetone	Urine	*
Proprietary)				
TRADE SECRET #2 (CAS	50 mg/l	Acetone	Urine	*
Proprietary)	-			

\* - For sampling details, please see the source document.

Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.
Individual protection measures, Eye/face protection	such as personal protective equipment Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Skin protection Other	Wear suitable protective clothing.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
9. Physical and chemical	properties
Appearance	Clear, colorless liquid.
Physical state	Liquid.
Form	Liquid.
Color	Clear, colorless.
Odor	Sharp Odor.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-139 °F (-95 °C)
Initial boiling point and boiling range	133.7 °F (56.5 °C) @ 760 mmHg
Flash point	-4.0 °F (-20.0 °C)
Evaporation rate	7.7 (BuAc = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	
Flammability limit - lower (%)	2.5 %
Flammability limit - upper (%)	12.8 %
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	400 mm Hg @ 39.5 °C
Vapor density	2 (Air = 1)
Relative density	0.792 @ 20 °C
Solubility(ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	869 °F (465 °C)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC (Weight %)	100 % @ 21 °C

Tissue-Tek Xpress® Processing Reagent #1 & #2, Formula 3 0002489-02 Rev. E

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Concentrated nitric and sulfuric acid mixtures, oxidizing materials, chlorine compounds Chloroformates. Acids. Strong oxidizing agents. Alkalis. Bases. Bromine. Hydrogen peroxide (H2O2). Magnesium. Calcium carbide. Potassium tert-butoxide.
Hazardous decomposition products	Carbon monoxide (CO) Carbon dioxide (CO2).

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	May cause drowsiness and dizziness. Prolonged inhalation may be harmful.	
Skin contact	Prolonged skin contact may cause temporary irritation.	
Eye contact	Causes serious eye irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Headache. May cause drowsiness and dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.	

#### Information on toxicological effects

Acute toxicity	Narcotic effects.	
Components	Species	Test Results
TRADE SECRET #1 (CAS Propr	ietary)	
Acute		
Dermal		
LD50	Rabbit	12800 mg/kg
Oral		
LD50	Rat	4.7 g/kg
TRADE SECRET #2 (CAS Propri	ietary)	
Acute		
Dermal		
LD50	Rabbit	20 ml/kg
Inhalation		
LC50	Rat	50 mg/l, 8 Hours
Oral		
LD50	Rat	5800 mg/kg
TRADE SECRET #3 (CAS Propri	ietary)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 5 mg/l
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary ir	ritation.
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	on	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sens	sitization.

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall I	Evaluation of Carcinogenicity
Not listed.	
NTP Report on Carcinogens	6
Not listed.	
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause drowsiness and dizziness.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

## **12. Ecological information**

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results	
TRADE SECRET #1				
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours	
TRADE SECRET #2				
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas	s) > 100 mg/l, 96 hours	
TRADE SECRET #3				
Aquatic				
Acute				
Crustacea	LL50	Invertebrates (Invertebrates)	100 mg/l	
Fish	LL50	Fish	10 mg/l	
Persistence and degradability	This materia	This material is readily biodegraded.		
Bioaccumulative potential	The product	The product is not expected to bioaccumulate.		
Partition coefficient n-octanol / water (log Kow)				
TRADE SECRET #1 TRADE SECRET #2		0.05 -0.24		
Mobility in soil	Mobile in so	Ι.		
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons			
Disposal instructions		Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in a	Dispose in accordance with all applicable regulations.		
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			

## 14. Transport information

DOT			
UN number	UN1993		
UN proper shipping name	Flammable liquids, n.o.s. (Acetone)		
Transport hazard class(es)			
Class	3		
Subsidiary risk	-		
Label(s)	3		
Packing group			
Environmental hazards			
Marine pollutant	No		
-	Read safety instructions, SDS and emergency procedures before handling. Not subject to		
	regulation if transported by ground or water.		
Special provisions	IB2, T7, TP1, TP8, TP28		
Packaging exceptions	150		
Packaging non bulk	202		
Packaging bulk	242		
ΙΑΤΑ			
UN number	UN1993		
UN proper shipping name	Flammable liquid, n.o.s. (Acetone)		
Transport hazard class(es)			
Class	3		
Subsidiary risk	-		
Packing group	II		
Environmental hazards	No.		
ERG Code	3H		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
IMDG			
UN number	UN1993		
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Acetone)		
Transport hazard class(es)			
Class	3		
Subsidiary risk	-		
Packing group	II		
<b>Environmental hazards</b>			
Marine pollutant	No.		
EmS	F-E, <u>S-E</u>		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Not subject to		
	regulation if transported by ground or water.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.		

### 15. Regulatory information

i el regulater y merma			
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Expe	ort Notification (40 CFR 707	, Subpt. D)	
Not regulated.			
5	lated Substances (29 CFR 1	910.1001-1050)	
Not listed.			
CERCLA Hazardous Sub	stance List (40 CFR 302.4)		
TRADE SECRET #2 (CAS Proprietary)		LISTED	
Superfund Amendments and	Reauthorization Act of 198	6 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No	3	

Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

# Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

TRADE SECRET #2 (CAS Proprietary)

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

TRADE SECRET #2 (CAS Proprietary) TRADE SECRET #3 (CAS Proprietary)

#### US. New Jersey Worker and Community Right-to-Know Act

TRADE SECRET #2 (CAS Proprietary) TRADE SECRET #3 (CAS Proprietary)

### US. Pennsylvania Worker and Community Right-to-Know Law

TRADE SECRET #2 (CAS Proprietary) TRADE SECRET #3 (CAS Proprietary)

### US. Rhode Island RTK

TRADE SECRET #2 (CAS Proprietary)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).


A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date	1-DEC-2008
Revision date	27-MAY-2016
Version #	E

HMIS® ratings

**NFPA** ratings





Disclaimer

Sakura Finetek USA Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.